



INNOVATIVE GENERATION
OF LED PROFILES

ABOUT
**GLOBAL LEADER
ALUMINIUM**



GLALU sp z oo (GLALU LTD) is a owner of LED strips aluminium design. We based on EU aluminium and polycarbonate extrusion production. Our products are suitable for furniture and drywall lighting. AL12 series is suitable for 8mm, 10mm, 12mm new design LED strips. The depth 6-16mm can help create LED LINEAR Lighting. The effect for human eyes is very friendly and modern. Our technical support can help with LED selection to achieve linear light without light spots.

Our design PC cover can achieve 5 different permeability (from transparent up to milk&black).

GLALU series design is also registred in European Union (EUIPO).



The distribution channel is based on local distribution network in EU countries.

GLALU also support design service, we can design for you new products and launch the production line.



EASY COVER ASSEMBLY

Thanks to the use of a semi-circular cover slot, the installation is trouble-free, and disassembly does not damage the cover.





HEAT DISSIPATION

The ribbed base provides much more efficient heat dissipation than in traditional profiles.

PAINT

In addition to anodized profiles (silver, inox stainless steel, black), in the case of wholesale orders, it is possible to order powder coated profiles in any color from the RAL palette.



EVEN MORE LIGHT

The innovative way we have developed of mounting the diffuser ensures maximum use of the space inside the profile. Thanks to this, we have minimised the diffraction phenomenon, leaving the light with significantly more space

SERIES PROFILE

AL12-GLS1-xxxx

xxxx - means available lengths 1000, 2020, 3000, 4150

AVAILABLE COLOURS: **SILVER, WHITE, BLACK**

MATERIAL: **ALUMINIUM**



APPLICATION: **SURFACE TILES**

LED STRIP WIDTH: **UP TO 12 MM**

LENGTHS

PRIMARY: **2020MM**

ADDITIONALLY: **1000MM, 3000MM, 4150MM**



SERIES PROFILE

AL12-GLS2-xxxx

xxxx - means available lengths 1000, 2020, 3000, 4150

AVAILABLE COLOURS: **SILVER, WHITE, BLACK**

MATERIAL: **ALUMINIUM**



APPLICATION: **SURFACE TILES**

LED STRIP WIDTH: **UP TO 12 MM**

LENGTHS

PRIMARY: **2020MM**

ADDITIONALLY: **1000MM, 3000MM, 4150MM**



SERIES PROFILE

AL12-GLS3-xxxx

xxxx - means available lengths 1000, 2020, 3000, 4150

AVAILABLE COLOURS: **SILVER, WHITE, BLACK**

MATERIAL: **ALUMINIUM**



APPLICATION: **SURFACE TILES**

LED STRIP WIDTH: **UP TO 12 MM**

LENGTHS

PRIMARY: **2020MM**

ADDITIONALLY: **1000MM, 3000MM, 4150MM**



Application and accessories

for led profiles



FOR AL12-GLS SERIES

END-CAPS

Model	Color	Photo
AL12-GLS1-AB-EC-SET10*	Black	
AL12-GLS1-AB-EC-SET50**		
AL12-GLS1-AS-EC-SET10*	Grey	
AL12-GLS1-AS-EC-SET50**		
AL12-GLS1-LW-EC-SET10*	White	
AL12-GLS1-LW-EC-SET50**		
AL12-GLS2-AB-EC-SET10*	Black	
AL12-GLS2-AB-EC-SET50**		
AL12-GLS2-AS-EC-SET10*	Grey	
AL12-GLS2-AS-EC-SET50**		
AL12-GLS2-LW-EC-SET10*	White	
AL12-GLS2-LW-EC-SET50**		
AL12-GLS3-AB-EC-SET10*	Black	
AL12-GLS3-AB-EC-SET50**		
AL12-GLS3-AS-EC-SET10*	Grey	
AL12-GLS3-AS-EC-SET50**		
AL12-GLS3-LW-EC-SET10*	White	
AL12-GLS3-LW-EC-SET50**		

*SET10 - for max 10 profile GLS Series (10x end caps with hole + 10x full end caps)

**SET50 - for max 50 profile GLS Series (50x end caps with hole + 50x full end caps)

FOR AL12-GLS1 & AL12-GLS2 SERIES

MOUNTING BRACKETS

Model	Color	Photo
AL12-GLS-MB01-P-SET10*	Plastic Transparent	
AL12-GLS-MB01-P-SET50**		
AL12-GLS-MB01-P-AB-SET10*	Plastic Black	
AL12-GLS-MB01-P-AB-SET50**		
AL12-GLS-MB01-P-LW-SET10*	Plastic White	
AL12-GLS-MB01-P-LW-SET50**		
AL12-GLS-MB01-P-AS-SET10*	Plastic Grey	
AL12-GLS-MB01-P-AS-SET50**		
AL12-GLS-MB03-M-SET10*	Metal Metallic	
AL12-GLS-MB03-M-SET50**		

FOR AL12-GLS3 SERIES

MOUNTING BRACKETS

Model	Color	Photo
AL12-GLS3-MB-P-SET10*	Plastic Transparent	
AL12-GLS3-MB-P-SET50**		
AL12-GLS3-MB-AB-P-SET10*	Plastic Black	
AL12-GLS3-MB-AB-P-SET50**		
AL12-GLS3-MB-LW-P-SET10*	Plastic White	
AL12-GLS3-MB-LW-P-SET50**		
AL12-GLS3-MB-AS-P-SET10*	Plastic Grey	
AL12-GLS3-MB-AS-P-SET50**		

*SET10 - set of 10 pcs of clips, 10 pcs of PZ1 3x16mm screws

**SET50 - set of 50 pcs of clips, 50 pcs of PZ1 3x16mm screws

SERIES PROFILE

AL12-GLG1-xxxx

xxxx - means available lengths 1000, 2020, 3000, 4150

AVAILABLE COLOURS: **SILVER, WHITE, BLACK**

MATERIAL: **ALUMINIUM**



APPLICATION: **GROOVE, RECESSED TILES**

LED STRIP WIDTH: **UP TO 12 MM**

LENGTHS

PRIMARY: **2020MM**

ADDITIONALLY: **1000MM, 3000MM, 4150MM**



SERIES PROFILE

AL12-GLG2-xxxx

xxxx - means available lengths 1000, 2020, 3000, 4150

AVAILABLE COLOURS: **SILVER, WHITE, BLACK**

MATERIAL: **ALUMINIUM**



APPLICATION: **GROOVE, RECESSED TILES**

LED STRIP WIDTH: **UP TO 12 MM**

LENGTHS

PRIMARY: **2020MM**

ADDITIONALLY: **1000MM, 3000MM, 4150MM**



SERIES PROFILE

AL12-GLG3-xxxx

xxxx - means available lengths 1000, 2020, 3000, 4150

AVAILABLE COLOURS: **SILVER, WHITE, BLACK**

MATERIAL: **ALUMINIUM**



APPLICATION: **GROOVE, RECESSED TILES**

LED STRIP WIDTH: **UP TO 12 MM**

LENGTHS

PRIMARY: **2020MM**

ADDITIONALLY: **1000MM, 3000MM, 4150MM**



Application and accessories

for led profiles



FOR AL12-GLG SERIES

END-CAPS

Model	Color	Photo
AL12-GLG1-AB-EC-SET10*	Black	
AL12-GLG1-AB-EC-SET50**		
AL12-GLG1-AS-EC-SET10*	Grey	
AL12-GLG1-AS-EC-SET50**		
AL12-GLG1-LW-EC-SET10*	White	
AL12-GLG1-LW-EC-SET50**		
AL12-GLG2-AB-EC-SET10*	Black	
AL12-GLG2-AB-EC-SET50**		
AL12-GLG2-AS-EC-SET10*	Grey	
AL12-GLG2-AS-EC-SET50**		
AL12-GLG2-LW-EC-SET10*	White	
AL12-GLG2-LW-EC-SET50**		
AL12-GLG3-AB-EC-SET10*	Black	
AL12-GLG3-AB-EC-SET50**		
AL12-GLG3-AS-EC-SET10*	Grey	
AL12-GLG3-AS-EC-SET50**		
AL12-GLG3-LW-EC-SET10*	White	
AL12-GLG3-LW-EC-SET50**		

***SET10** - for max 10 profile GLG Series (10x end caps with hole + 10x full end caps)

****SET50** - for max 50 profile GLG Series (50x end caps with hole + 50x full end caps)

CORNER PROFILE / SURFACE PROFILE FOR METAL SHELVES

SERIES PROFILE

AL12-GLC1-xxxx

xxxx - means available lengths 1000, 2020, 3000, 4150

AVAILABLE COLOURS: **SILVER, WHITE, BLACK**

MATERIAL: **ALUMINIUM**


APPLICATION: **STANDARD CORNER**

LED STRIP WIDTH: **UP TO 12 MM**

LENGTHS

PRIMARY: **2020MM**

ADDITIONALLY: **1000MM, 3000MM, 4150MM**



SERIES PROFILE

AL12-GLC2-xxxx

xxxx - means available lengths 1000, 2020, 3000, 4150

AVAILABLE COLOURS: **SILVER, WHITE, BLACK**

MATERIAL: **ALUMINIUM**



APPLICATION: **STANDARD CORNER**

LED STRIP WIDTH: **UP TO 12 MM**

LENGTHS

PRIMARY: **2020MM**

ADDITIONALLY: **1000MM, 3000MM, 4150MM**



SERIES PROFILE

AL12-GLM-xxxx

xxxx - means available lengths 1000, 2020, 3000, 4150

AVAILABLE COLOURS: **SILVER, WHITE, BLACK**

MATERIAL: **ALUMINIUM**

APPLICATION: **FOR METAL STORE SHELVES**



SURFACE

LED STRIP WIDTH: **UP TO 12 MM**

LENGTHS

PRIMARY: **2020MM**

ADDITIONALLY: **1000MM, 3000MM, 4150MM**



Application and accessories

for led profiles



FOR AL12-GLC SERIES END-CAPS

Model	Color	Photo
AL12-GLC1-AB-EC-SET50	Black	
AL12-GLC1-AB-EC-SET100		
AL12-GLC1-AS-EC-SET50	Grey	
AL12-GLC1-AS-EC-SET100		
AL12-GLC1-LW-EC-SET50	White	
AL12-GLC1-LW-EC-SET100		

*SET10 - for max 10 profile GLS Series (10x end caps with hole + 10x full end caps)

**SET50 - for max 50 profile GLS Series (50x end caps with hole + 50x full end caps)

FOR AL12-GLC MOUNTING BRACKETS

Model	Color	Photo
AL12-GLC-MB02-P-SET10*	Plastic Transparent	
AL12-GLC-MB02-P-SET50**		
AL12-GLC-MB02-AB-P-SET10*	Plastic Black	
AL12-GLC-MB02-AB-P-SET50**		
AL12-GLC-MB02-LW-P-SET10*	Plastic White	
AL12-GLC-MB02-LW-P-SET50**		
AL12-GLC-MB02-AS-P-SET10*	Plastic Grey	
AL12-GLC-MB02-AS-P-SET50**		

*SET10 - set of 10 pcs of clips, 10 pcs of PZ1 3x16mm screws
 **SET50 - set of 50 pcs of clips, 50 pcs of PZ1 3x16mm screws

PROFESSIONAL/STANDARD COVERS

PC COVERS

AL12-COV-TR-PC
COLOR: TRANSPARENT
PERMEABILITY: 96%

AL12-COV-FR-PC
COLOR: TRANSPARENT FROST
PERMEABILITY: 95%

AL12-COV-OP-PC
COLOR: OPAL MILKY
PERMEABILITY: 92%

AL12-COV-ML-PC
COLOR: MILK
PERMEABILITY: 64%

AL12-COV-BL-PC
COLOR: BLACK
PERMEABILITY: 11%

PVC COVERS

AL12-COV-TR-PVC
COLOR: TRANSPARENT
PERMEABILITY: 86%

AL12-COV-ML-PVC
COLOR: MILK
PERMEABILITY: 42%

COVER SELECTION TABLE FOR DIFFERENT LED STRIP POWER COMSUMPTION:


	LED strip max 6W/m		LED strip max 9,6W/m		LED strip max 12W/m		LED strip max 18W/m		LED strip max 24W/m	
GLS1	PC	PVC*	PC		PC		---		---	
GLS2	PC	PVC**	PC		PC		PC		---	
GLS3	PC	PVC**	PC	PVC*	PC	PVC*	PC		PC	
GLG1	PC	PVC*	PC		PC		---		---	
GLG2	PC	PVC**	PC		PC		PC		---	
GLG3	PC	PVC**	PC	PVC*	PC	PVC*	PC		PC	
GLC1	PC	PVC**	PC		PC		PC		---	
GLM	PC	PVC**	PC		PC		PC		---	

*MAX 3H/DAY | **MAX 6H/DAY



APPLICATION

led profiles



AL12-GLS-MB03-M



AL12-GLS-MB01-P




AL12-GLC-MB02-P



SUGGESTED BRACKETS QUANTITY

Alu lenght	Min q-ty
1m lenght	Min. 2pcs
2m lenght	Min. 3pcs
3m lenght	Min. 3pcs

Notes





Distributor:

www.glalu.pl

The appearance and all the information contained in the leaflet, especially the names and compositions, as well as the layout and colors are the sole property of the MPL Group company and are subject to legal protection. Copying or other use, as well as making the shape of one's own offer similar to the one contained in this leaflet constitutes an act of unfair competition within the meaning of Articles 10 and 13 of the Act on Combating Unfair Competition.

The presented photos are for reference only. Due to the technique and conditions of taking photos, the actual appearance of the products may differ from that presented in the catalog.